Product datasheet

Specifications





Central I/O module, SpaceLogic, 8 analog voltage outputs

SXWAOV8XX10001

Main

Device Short Name	AO-8-V
Product Or Component Typee	I/O module
Net Weight	156 g
Flame Retardance	UL94V0-5VB
Height	114 mm
Product Certifications	ICES-003 FCC part 15 class B CE RCM
Width	90 mm
Depth	64 mm
Ambient Air Temperature For Operation	050 °C
Ip Degree Of Protection	IP20
Ambient Air Temperature For Storage	-2070 °C
Power Consumption In W	0.7 W
Relative Humidity	095 % non-condensing
Number Of Outputs	8 analog output
[Us] Rated Supply Voltage	24 V DC
Product Name	I/O Modules
Product Brand	Schneider Electric
Range	EcoStruxure Building Operation

Complementary

Control Type	Without
Electrical Connection	Plug-in sub-base
Mounting Support	DIN rail Wall
Analogue Input Type	Configurable voltage 010 V input voltage
Range Compatibility	EcoStruxure Building Operation TB-IO-W1 terminal base
Standards	UL 864 UL 916 FCC CFR47 part 15
Material	ABS + PC

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	9.2 cm
Package 1 Width	5.7 cm
Package 1 Length	11.8 cm
Package 1 Weight	154.6 g



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance



Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	End of Life Information