

Product datasheet

Specifications



RH and Temp Sensor: Outdoor, 24 VAC, Systems: Continuum, Vista, Xenta, Selectable Outputs, 0-95% RH, 2% Acc, SH0100-T5

006902401

⚠ Discontinued on: 31-Dec-2023

⚠ To be discontinued

Main

Range Of Product	SHO100
Product Or Component Type	Sensor
Type Of Measurement	Humidity Temperature
Device Application	Outdoor reference
Product Certifications	CE
Humidity Measurement Resolution	0.1 % RH
Ip Degree Of Protection	IP65
Location	Outdoor
Mounting Support	Outdoor wall
Depth	35 mm
Height	64 mm
Net Weight	0.13 kg
Width	58 mm
Product Compatibility	Vista Continuum
Ambient Air Temperature For Operation	-10...60 °C
Ambient Air Temperature For Storage	-40...60 °C
Standards	EN 50081-1 EN 50082-1
Colour	Cloud white
Targeted Region	Europe Asia Pacific.

Complementary

Output Type	Analog Resistive output
-------------	----------------------------

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	6.5 cm

Package 1 Width	9.6 cm
Package 1 Length	11.5 cm
Package 1 Weight	163.0 g

Contractual warranty

Warranty	24 months
----------	-----------

Sustainability


Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)

Well-being performance

 Mercury Free

 Rohs Exemption Information [Yes](#)

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive Compliant with Exemptions

China Rohs Regulation [China RoHS declaration](#)
