Product datasheet

Specifications





SpaceLogic KNX DALI Gateway Pro 1ch DALI-2

MTN6725-0101

Main

| Range of product | SpaceLogic KNX | |
|---------------------------|---------------------|--|
| Product or component type | KNX DALI gateway | |
| Bus type | KNX | |
| Function available | Undateable software | |

Complementary

| total number of 18 mm modules | 4 |
|--------------------------------|-------------|
| Mounting support | DIN rail |
| [Ue] rated operational voltage | 100240 V |
| Network frequency | 5060 Hz |
| Communication port protocol | DALI |
| Web services | HTTP server |
| local signalling | LED |

Environment

IP degree of protection IP20

Packing Units

| Unit Type of Package 1 | PCE |
|------------------------------|----------|
| Number of Units in Package 1 | 1 |
| Package 1 Height | 8 cm |
| Package 1 Width | 12.5 cm |
| Package 1 Length | 15.7 cm |
| Package 1 Weight | 275 g |
| Unit Type of Package 2 | S04 |
| Number of Units in Package 2 | 28 |
| Package 2 Height | 30 cm |
| Package 2 Width | 40 cm |
| Package 2 Length | 60 cm |
| Package 2 Weight | 8.603 kg |
| Unit Type of Package 3 | P12 |
| Number of Units in Package 3 | 112 |

Disclaimer. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

| Package 3 Height | 45 cm | |
|------------------|--------|--|
| Package 3 Width | 80 cm | |
| Package 3 Length | 120 cm | |
| Package 3 Weight | 47 ka | |



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance



Mercury Free



Rohs Exemption Information

Yes

Certifications & Standards

| Reach Regulation | REACh Declaration |
|--------------------------|---|
| Eu Rohs Directive | Compliant with Exemptions |
| China Rohs Regulation | China RoHS declaration Product out of China RoHS scope. Substance declaration for your information |
| Environmental Disclosure | Product Environmental Profile |
| Weee | The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins |
| Circularity Profile | End of Life Information |